

Donor Tissue Request Form				
Name Center			1	
City			-	
Delivery specifications			1	
Contact person			-	
Phone				
E-mail			Patient data : Name, gender, date of birth, country	
Graft eye OD / OS				
Indication Cornea Tx POSTERIOR	Indication C	Cornea Tx ANTERIOR	Concurrent disorder	Indication Amnion Tx
 ☐ Fuchs ☐ Pseudophakic bullous keratopathy ☐ Aphakic bullous keratopathy ☐ Silicone oil KP ☐ Other, describe here: 	 ☐ Keratoconus ☐ HSV à froid ☐ HSV à chaud ☐ Ulcus – See below ☐ Anterior corneal dystrophies ☐ Trauma /Chemical / thermal burns ☐ Other, describe here: 		☐ Glaucoma ☐ Diabetes ☐ Down syndrome ☐ Uveitis ☐ RA & Sicca syndrome	□ Persisting epith. defect □ Pterygium □ Symblepharon □ Chemical trauma □ Stevens Johnson □ Socket reconstruction □ Other, describe here:
☐ Re-transplantation: original diagnosis ☐ Allograft failure: date and reason failure				
Procedure:	in are			
Posterior lamellar keratoplasty (PLK; pre-cut), depth/diameter: DSEK μm UT-DSEK μm DMEK Ø mm	□ Deep anterior lamellar keratoplasty (DALK) □ Bowman Layer Transplantation (BL; pre-cut) Ø mm		☐ Random PK ☐ Typed PK* ☐ DSAEK ☐ Other, describe here:	Amnion Tx: Size: □1x1 cm □3x4 cm □2x1 cm □4x4 cm □2x2 cm □4x5 cm □2x3 cm □5x5 cm □2x4 cm □5x6 cm □3x3 cm □6x6 cm
Surgeon Planned surgery date (if known)				
The undersigned medical doctor declares that the above mentioned patient agrees to provide the above mentioned data to Amnitrans EyeBank for the purpose of his/her registration as a potential transplant recipient and to match these data against a possible donor. The undersigned furthermore declares that his/her patient has given permission to use the above mentioned data as well as the data that will become available after transplantation for (anonymous) clinical follow-up purposes. Date of registration Signature				

Please mail this form at least two weeks pre-op to <u>info@amnitrans.com</u> or fax to +31 10 485 0159 For further information please contact Amnitrans EyeBank Rotterdam: phone +31 10 297 4444 or mail <u>info@amnitrans.com</u>

^{*} For typed cornea please attach HLA-typing and screening (A, B, DR)